Neuroscience Letters, 163 (1993) 239–241
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Akasu, T., see Tokimasa, T., 138, 169
Alarcón, R., see Inestrosa, N.C., 8
Alvarez, J., see Inestrosa, N.C., 8
Angelatou, F., Pagonopoulou, O., Maraziotis, T., Olivier, A., Villemeure, J.G., Avoli, M. and Kostopoulos, G., Upregulation of A1 adenosine receptors in human temporal lobe epilepsy: a quantitative autoradiographic study, 11
Arai, H., Uto, A., Ogawa, Y. and Sato, K., Effect of low temperature on glutamate-induced intracellular calcium accumulation and cell death in cultured hippocampal neurons, 132
Arai, H., see Nishiyama, E., 223
Arriagada, J., see Inestrosa, N.C., 8
Asari, S., see Zhou, J., 81
Avoli, M., see Angelatou, F., 11

Bach, V., see Zoccoli, G., 173
Bähr, M., see Przyrembel, C., 227
Balchen, T., Berg, M. and Diemer, N.H., A paradox after systemic kainate injection in rats: lesser damage of hippocampal CA1 neurons after higher doses, 151
Banerjee, S.P., see Lidsky, T.I., 155
Banks, W.A., Kastin, A.J. and Gutierrez, E.G., Interleukin-1α in blood has direct access to cortical brain cells, 41
Barnes, D., see Nishiyama, K., 114
Barr, D.S., see Moore, S.D., 117
Bédard, P.J., see Gagnon, C., 31
Berg, M., see Balchen, T., 151
Biersack, H.J., see Grünwald, F., 67
Bijak, M. and Misgeld, U., Role of glutamatergic synaptic transmission in synchronized discharges of hilar neurons in guinea pig hippocampal slices, 235
Bonaz, B., Taylor, I. and Taché, Y., Peripheral peptide YY induces c-*fos*-like immunoreactivity in the rat brain, 77
Brook, G.A., Woodhams, P.L., Shah, B. and Raisman, G., Monoclonal antibody G10 which recognises microtubule-associated protein 1x identifies growing axons of neurons microtransplanted into adult rat hippocampus, 148

Chuang, D.-M., see Sunaga, K., 27
Cianci, T., see Zoccoli, G., 173
Collodi, P., see Nishiyama, K., 114
Colwell, C.S., Kaufman, C.M. and Menaker, M., Photic induction of Fos in the hamster suprachiasmatic nucleus is inhibited by baclofen but not by diazepam or bicucullin, 177
Crane, A., see Grünwald, F., 67

Date, I., see Zhou, J., 81
Di Paolo, T., see Gagnon, C., 31
Diemer, N.H., see Balchen, T., 151
Dolan, R.J., see Grasby, P.M., 185
Donoso, A., see Inestrosa, N.C., 8
Dringen, R., Wiesinger, H. and Hamprecht, B., Uptake of L-lactate by cultured rat brain neurons, 5
Dubner, R., see Ren, K., 22

Elde, R., see Ho, R.H., 125
Ezure, K., Tanaka, I. and Oku, Y., Location and axonal projection of early-onset decrementing expiratory neurons in the cat, 105

Fahn, L., see Grégoire, N., 141
Fior, D.R., Hedlund, P.B. and Fuxe, K., Autoradiographic evidence for a bradykinin/angiotensin II receptor– receptor interaction in the rat brain, 58
Frackowiak, R.S.J., see Grasby, P.M., 185
Franzini, C., see Zoccoli, G., 173
Friston, K., see Grasby, P.M., 185
Frith, C.D., see Grasby, P.M., 185
Fukuda, Y., see Yamashita, M., 215
Furuta, T., see Zhou, J., 81
Fuxe, K., see Fior, D.R., 58

Gagnon, C., Gomez-Mancilla, B., Bédard, P.J. and Di Paolo, T., Chronic CY 208–243 treatment of MPTP-monkeys causes regional changes of dopamine and $GABA_A$ receptors, 31
García-Pascual, A., see Triguero, D., 93
Gomez-Mancilla, B., see Gagnon, C., 31
Grasby, P.M., Frith, C.D., Friston, K., Frackowiak, R.S.J. and Dolan, R.J., Activation of the human hippocampal formation during auditory–verbal long-term memory function, 185
Greferath, U., Grünert, U., Möhler, H. and Wässle, H., Cholinergic amacrine cells of the rat retina express the δ-subunit of the $GABA_A$ receptor, 71
Grégoire, N., Lebrun, F., Fahn, L., Salamon, G. and Nicoli, J., A study of GABAergic system in Scrapie-infected hamsters after striatal microinoculation of the agent, 141
Grünert, U., see Greferath, U., 71
Grünwald, F., Crane, A., Mende, M., Suda, S., Kennedy, C., Pettigrew, K.D., Biersack, H.J., Sokoloff, L. and Kuschinsky, W., Effects of physostigmine on local cerebral glucose utilization in the central components of the rat visual system, 67
Guo, J.-Z., see Murakoshi, T., 211
Gutierrez, E.G., see Banks, W.A., 41
Gwinn, R., see Simon, R.P., 135

Haack, J.A., Parks, T.N. and Olivera, B.M., Conantokin-G antagonism of the NMDA receptor subtype expressed in cultured cerebellar granule cells, 63
Hamprecht, B., see Dringen, R., 5
Hamrick, W.D., Wilson, D.A. and Sullivan, R.M., Neural correlates of memory for odor detection conditioning in adult rats, 36
Hargreaves, A.J. and McLean, W.G., Subcellular distribution and immunological detection of retrograde axonally transported proteins in acrylamide and diabetic neuropathies, 201
Hasegawa, T., see Nitta, A., 219
Hedlund, P.B., see Fior, D.R., 58
Ho, R.H., Wu, W. and Elde, R., Pre-pro-somatostatin mRNA in the developing rat spinal cord with special reference to ventral horn motoneurons, 125
Hori, K., see Ishii, K., 159
Hösli, E., see Hösli, L., 145
Hösli, L., Hösli, E., Winter, T. and Käser, H., Electrophysiological evidence for the presence of receptors for cholecystokinin and bombesin on cultured astrocytes of rat central nervous system, 145
Hughes, S. and Smith, M.E., Upregulation of the pro-opiomelanocortin gene in spinal motoneurones in muscular dystrophy in mice, 205

Ichikawa, M., see Muramoto, K., 163

Ichinose, T., see Murakoshi, T., 211
Ikeda, K., see Ueki, A., 166
Inestrosa, N.C., Alarcón, R., Arriagada, J., Donoso, A. and Alvarez, J., Platelet of Alzheimer patients: increased counts and subnormal uptake and accumulation of [^{14}C]5-hydroxytryptamine, 8
Inoue, K., see Nakazawa, K., 97
Ishida, N., see Matsui, M., 189
Ishii, K., Katayama, M., Hori, K., Yodoi, J. and Nakanishi, T., Effects of 2-mercaptoethanol on survival and differentiation of fetal mouse brain neurons cultured in vitro, 159
Ishimatsu, M., see Tokimasa, T., 138
Ishitani, R., see Sunaga, K., 27
Iwamoto, N., see Nishiyama, E., 223

Jennes, L., see Wright, D.E., 1

Kajiura, H., see Ninomiya, Y., 197
Kajiwara, J.K., see Ramalho, F.S., 74
Käser, H., see Hösli, L., 145
Kashihara, Y., Takasu, C. and Kuno, M., Messenger RNAs from chick muscle encode a motoneuronal survival-promoting factor, 208
Kastin, A.J., see Banks, W.A., 41
Katayama, M., see Ishii, K., 159
Kaufman, C.M., see Colwell, C.S., 177
Kawahara, M., see Muramoto, K., 163
Kawakami, M., see Ueki, A., 166
Kawano, M., see Ueki, A., 166
Kennedy, C., see Grünwald, F., 67
Kimura, J., see Tanaka, S., 19
Kobayashi, K., see Muramoto, K., 163
Kornhuber, J., Schoppmeyer, K. and Riederer, P., Affinity of 1-aminoadamantanes for the σ binding site in post-mortem human frontal cortex, 129
Kostopoulos, G., see Angelatou, F., 11
Krieger, C., see Lanius, R.A., 89
Kuno, M., see Kashihara, Y., 208
Kuroda, Y., see Muramoto, K., 163
Kuschinsky, W., see Grünwald, F., 67

Lanius, R.A., Krieger, C., Wagey, R. and Shaw, C.A., Increased [^{35}S]glutathione binding sites in spinal cords from patients with amyotrophic lateral sclerosis, 89
Larriva-Sahd, J., Rondán, A., Orozco-Estévez, H. and Sánchez-Robles, M.R., Evidence of a direct projection of the vomeronasal organ to the medial preoptic nucleus and hypothalamus, 45
Lebrun, F., see Grégoire, N., 141
LeDoux, J.E., see Morgan, M.A., 109
Lenzi, P., see Zoccoli, G., 173
Lidsky, T.I., Yablonsky-Alter, E., Zuck, L. and Banerjee, S.P., Antiglutamatergic effects of clozapine, 155

Maeda, S., see Suematsu, M., 193
Maraziotis, T., see Angelatou, F., 11
Matsui, M., Mitsui, Y. and Ishida, N., Circadian regulation of *per* repeat mRNA in the suprachiasmatic nucleus of rat brain, 189
Matsumoto, K., see Suematsu, M., 193
McLean, W.G., see Hargreaves, A.J., 201
Menaker, M., see Colwell, C.S., 177
Mende, M., see Grünwald, F., 67
Misgeld, U., see Bijak, M., 235
Mitsui, Y., see Matsui, M., 189
Mizuno, N., see Shigemoto, R., 53
Mochizuki, K., see Ninomiya, Y., 197
Möhler, H., see Greferath, U., 71
Moore, S.D., Barr, D.S. and Wilson, W.A., Seizure-like activity disrupts LTP in vitro, 117
Morgan, M.A., Romanski, L.M. and LeDoux, J.E., Extinction of emotional learning: contribution of medial prefrontal cortex, 109
Murakoshi, T., Guo, J.-Z. and Ichinose, T., Electrophysiological identification of horizontal synaptic connections in rat visual cortex in vitro, 211
Muramoto, K., Ichikawa, M., Kawahara, M., Kobayashi, K. and Kuroda, Y., Frequency of synchronous oscillations of neuronal activity increases during development and is correlated to the number of synapses in cultured cortical neuron networks, 163

Nabeshima, T., see Nitta, A., 219
Nakamura, S., see Tanaka, S., 19
Nakanishi, S., see Shigemoto, R., 53
Nakanishi, T., see Ishii, K., 159
Nakazawa, K. and Inoue, K., ATP- and acetylcholine-activated channels co-existing in cell-free membrane patches from rat sympathetic neuron, 97
Namba, Y., see Ueki, A., 166
Nardo, B., see Zoccoli, G., 173
Nicoli, J., see Grégoire, N., 141
Niiro, M., see Simon, R.P., 135
Ninomiya, Y., Kajiura, H. and Mochizuki, K., Differential taste responses of mouse chorda tympani and glossopharyngeal nerves to sugars and amino acids, 197
Nishiyama, E., Ohwada, J., Iwamoto, N. and Arai, H., Selective loss of calbindin D28K-immunoreactive neurons in the cortical layer II in brains of Alzheimer's disease: a morphometric study, 223
Nishiyama, K., Collodi, P. and Barnes, D., Regulation of glial fibrillary acidic protein in serum-free mouse embryo (SFME) cells by leukemia inhibitory factor and related peptides, 114
Nitta, A., Hasegawa, T. and Nabeshima, T., Oral administration of idebenone, a stimulator of NGF synthesis, recovers reduced NGF content in aged rat brain, 219
Nomura, S., see Shigemoto, R., 53
North, R.A., see Tanaka, E., 50

Ogawa, Y., see Arai, H., 132
Ohishi, H., see Shigemoto, R., 53
Ohmoto, T., see Zhou, J., 81
Ohnishi, T., see Suematsu, M., 193
Ohwada, J., see Nishiyama, E., 223
Oku, Y., see Ezure, K., 105
Olivera, B.M., see Haack, J.A., 63
Olivier, A., see Angelatou, F., 11
Orozco-Estévez, H., see Larriva-Sahd, J., 45
Oster, Y. and Schramm, M., Down-regulation of NMDA receptor activity by NMDA, 85
Oyanagi, S., see Tokutake, S., 15

Pagonopoulou, O., see Angelatou, F., 11
Pang, S.F., see Wan, Q., 101
Parks, T.N., see Haack, J.A., 63
Pettigrew, K.D., see Grünwald, F., 67
Prieto, D., see Triguero, D., 93
Przyrembel, C. and Bähr, M., Reactive changes of glial cells after optic nerve axotomy in adult rats, 227

Raisman, G., see Brook, G.A., 148

Ramalho, F.S., Santos, G.C., Ramalho, L.N.Z., Kajiwara, J.K. and Zucoloto, S., Myenteric neuron number after acute and chronic denervation of the proximal jejunum induced by benzalkonium chloride, 74
Ramalho, L.N.Z., see Ramalho, F.S., 74
Ren, K. and Dubner, R., NMDA receptor antagonists attenuate mechanical hyperalgesia in rats with unilateral inflammation of the hindpaw, 22
Riederer, P., see Kornhuber, J., 129
Romanski, L.M., see Morgan, M.A., 109
Rondán, A., see Larriva-Sahd, J., 45
Rusakov, D.A., Quantal behaviour of synaptic transmission can be statistically examined using the Fourier line spectrum of the histogram of synaptic potentials, 231

Saito, K., see Suematsu, M., 193
Sakai, K., see Zhou, J., 81
Sakuda, M., see Suematsu, M., 193
Salamon, G., see Grégoire, N., 141
Sánchez-Robles, M.R., see Larriva-Sahd, J., 45
Santos, G.C., see Ramalho, F.S., 74
Sato, K., see Arai, H., 132
Schapira, A.H.V., see Small, J.R., 182
Schoppmeyer, K., see Kornhuber, J., 129
Schramm, M., see Oster, Y., 85
Shah, B., see Brook, G.A., 148
Shaw, C.A., see Lanius, R.A., 89
Shigemoto, R., Nomura, S., Ohishi, H., Sugihara, H., Nakanishi, S. and Mizuno, N., Immunohistochemical localization of a metabotropic glutamate receptor, mGluR5, in the rat brain, 53
Shinno, E., see Suematsu, M., 193
Simantov, R., Chronic morphine alters dopamine transporter density in the rat brain: possible role in the mechanism of drug addiction, 121
Simon, R.P., Niiro, M. and Gwinn, R., Prior ischemic stress protects against experimental stroke, 135
Small, J.R., Thomas, P.K. and Schapira, A.H.V., Dorsal root ganglion proteins in Friedreich's ataxia, 182
Smith, M.E., see Hughes, S., 205
Sokoloff, L., see Grünwald, F., 67
Suda, S., see Grünwald, F., 67
Suematsu, M., Ohnishi, T., Shinno, E., Maeda, S., Matsumoto, K., Sakuda, M. and Saito, K., Effect of prolonged administration of clonidine on [^{3}H]PN 200–110 and [^{125}I]ω-conotoxin binding in mouse brain, 193
Sugihara, H., see Shigemoto, R., 53
Sullivan, R.M., see Hamrick, W.D., 36
Sunaga, K., Chuang, D.-M. and Ishitani, R., Tetrahydroaminoacridine increases m_3-, but not m_2-, muscarinic acetylcholine receptor mRNA levels in differentiating cerebellar granule cells, 27

Taché, Y., see Bonaz, B., 77
Takasu, C., see Kashihara, Y., 208
Tanaka, E. and North, R.A., Cocaine enhancement of the action of 5-hydroxytryptamine in rat cingulate cortex in vitro, 50
Tanaka, I., see Ezure, K., 105
Tanaka, S., Nakamura, S., Kimura, J. and Ueda, K., Age-related change in the proportion of amyloid precursor protein mRNAs in the gray matter of cerebral cortex, 19
Taylor, I., see Bonaz, B., 77
Thomas, P.K., see Small, J.R., 182
Tokimasa, T., Tsurusaki, M., Ishimatsu, M. and Akasu, T., Intracellular ATP changes the voltage-dependence of delayed rectifier potassium current in bullfrog primary afferent neurons, 138
Tokimasa, T., Tsurusaki, M. and Akasu, T., Chemosensitivity of C-cells in bullfrog dorsal root ganglia to substance P and adenosine 5′-triphosphate, 169
Tokutake, S. and Oyanagi, S., Mechanical instability of Pick bodies and their isolation in an intact form using urea solution, 15
Triguero, D., Prieto, D. and García-Pascual, A., NADPH-diaphorase and NANC relaxations are correlated in the sheep urinary tract, 93
Tsurusaki, M., see Tokimasa, T., 138, 169

Ueda, K., see Tanaka, S., 19
Ueki, A., Kawano, M., Namba, Y., Kawakami, M. and Ikeda, K., A high frequency of apolipoprotein E4 isoprotein in Japanese patients with late-onset nonfamilial Alzheimer's disease, 166
Uto, A., see Arai, H., 132

Villemeure, J.G., see Angelatou, F., 11

Wagey, R., see Lanius, R.A., 89
Wan, Q. and Pang, S.F., [^{125}I]Iodomelatonin binding sites in the chicken spinal cord: binding characteristics and diurnal variation, 101
Wässle, H., see Greferath, U., 71
Wiesinger, H., see Dringen, R., 5
Wilson, D.A., see Hamrick, W.D., 36
Wilson, W.A., see Moore, S.D., 117
Winter, T., see Hösli, L., 145
Woodhams, P.L., see Brook, G.A., 148
Wright, D.E. and Jennes, L., Lack of expression of serotonin receptor subtype -1a, 1c, and -2 mRNAs in gonadotropin-releasing hormone producing neurons of the rat, 1
Wu, W., see Ho, R.H., 125

Yablonsky-Alter, E., see Lidsky, T.I., 155
Yamashita, M. and Fukuda, Y., Incurvation of early embryonic neural retina by acetylcholine through muscarinic receptors, 215
Yodoi, J., see Ishii, K., 159
Yoshimoto, Y., see Zhou, J., 81

Zhou, J., Date, I., Sakai, K., Yoshimoto, Y., Furuta, T., Asari, S. and Ohmoto, T., Xenogeneic dopaminergic grafts reverse behavioral deficits induced by 6-OHDA in rodents: effect of 15-deoxyspergualin treatment, 81
Zoccoli, G., Bach, V., Nardo, B., Cianci, T., Lenzi, P. and Franzini, C., Spinal cord blood flow changes during the sleep–wake cycle in rat, 173
Zuck, L., see Lidsky, T.I., 155
Zucoloto, S., see Ramalho, F.S., 74